



GLE & GLK

The GLE- and GLK-range from Frigor offers temperatures down to $\pm 45^{\circ}\text{C}$ and $\pm 60^{\circ}\text{C}$ in sizes from 130 to almost 500 liters net volume.

A low temperature laboratory Frigor chest freezer will cover the needs of laboratories, hospitals and the food industry for preservation of products at very low temperatures. Optimum product durability is therefore ensured.


The electronic thermostat keeps the preset temperature constant $\pm 1^{\circ}\text{C}$. The temperature is easily monitored in the digital display. Setting and programming is also done with the electronic thermostat.

Frigor offers the possibility of a potential free contact on the back of the cabinet as an option.

The insulation of 100 mm ensures that in case of a power cut the temperature will only rise very slowly.



Technical data:		GLE 10 / GLK 10	GLE 20 / GLK 20	GLE 30 / GLK 30	GLE 40 / GLK 40	GLE 50 / GLK 50
Gross volume	liters	130	230	300	360	485
Net. volume	liters	130	230	300	360	485
Gross volume	cu.ft.	4,6	8,1	10,7	12,8	14,9
Net. volume	cu.ft.	4,6	8,1	10,7	12,8	14,9
A	mm	725	1055	1305	1505	1705
B	mm	655	655	655	655	655
C	mm	865	865	865	865	865
D	mm	780	780	780	780	780
E	mm	520	850	1100	1300	1500
F	mm	320	650	900	1000	1300
G	mm	450	450	450	450	450
H	mm	650	650	650	650	650
J	mm	400	400	400	400	400
L	mm	850	850	850	850	850
Isulation thickness	mm	100	100	100	100	100
Climate class 4 (EN 441)		+	+	+	+	+
Handle with lock		+	+	+	+	+
Defrost drain		+	+	+	+	+
Electronic thermostat		+	+	+	+	+
Acoustic alarm		+	+	+	+	+
Temp. range at 30°C amb. (GLE)	°C	±10 - +45	±10 - +45	±10 - +45	±10 - +45	±10 - +45
Temp. range at 30°C amb. (GLK)	°C	±10 - +60	±10 - +60	±10 - +60	±10 - +60	±10 - +60



Options:



Set of castors - optional



Socket for remote alarm



Basket



The GLE and GLK comes with a handle lock

